

**1000 TT-One**

**TESA TRUCKS**





# It Stands Apart

The 1000 TT-ONE is built to  
build your business

## DIMENSIONS

LENGTH: 53'  
WIDTH: 102"  
HEIGHT: 13' 6"  
INTERNAL HEIGHT: 110"  
INTERNAL WIDTH: 98-100"

## CATEGORY SPECIFIC

COMPOSITION: DURA PLATE  
LOGISTIC POSTS: YES  
LOGISTIC POST SPACING: 48"  
SCUFFLINER: YES  
SCUFFLINER TYPE: GALVANIZED STEEL  
TWO SPEED LANDING GEAR: YES

## CHASSIS

SUSPENSION: 4 BAG AIR RIDE  
FLOOR TYPE: LAMINATED WOOD PINE  
TIRES: 295/75/22.5R  
TIRE% REMAINING: 100  
BRAKE% REMAINING: 100  
WHEELS: STEEL  
NUMBER OF REAR AXLES: TANDEM  
AXLE TYPE: SLIDING  
GROSS VEHICLE WEIGHT: 72,000 LBS  
MUDFLAPS: YES

## EXTERIOR

DOORS: SWING  
ROOF TYPE: ALUMINUM  
NUMBER OF LOCK RODS: 2  
NUMBER OF HINGES PER DOOR: 5

### OPTIONS AVAILABLE UPON REQUEST:

- 8-ALUMINUM WHEELS
- SET OF SIDE SKIRTS
- EXTRA DOOR HANDLE
- TIRE AUTOMATIC INFLATION SYSTEM



# Engineered to Exceed the Higher Standards

We continue to advance quality and deliver more value to your business



## Snag-Free® Interior Lining

Galvanized interior lining is squeeze riveted with fully recessed fasteners to outer skin and side posts, creating a **Snag-Free®**, high strength, composite wall.




## 80K Flush Steel Logistics Posts

Engineered and track tested to create optimal side wall strength, the design also provides 101" of inside width, and greater cargo securement versatility.



## Stainless Steel Rear Door Frame

Corrosion resistant frame reduces maintenance costs and increases resale value. The 110½" door opening height allows greater forklift clearance.



## Light Weight Aluminum Exterior Side Skin

Aluminum side skin with Ultra Road Shield™ Plus (URS+) uses the strength of the foam bonded to the interior lining panels to distribute side wall stress.



## 27" Deep Integrated Threshold Plate Assembly

Fully welded to the buckplate and side gussets, the 27" threshold plate eliminates floorboard decay and delivers the optimal strength to resist dock plate damage and fork truck impact.

### IMPORTANT:

Trailers come with manufacturer warranty.

Trailers major components are assembled with name brand materials that are available nationwide in case of any break down or parts replacement.



5045 S Desert Blvd, El Paso, TX 79932  
For more information visit [www.tesatrucks.com](http://www.tesatrucks.com)  
915.317.5500 • [trailers@tesatrucks.com](mailto:trailers@tesatrucks.com) •

# 2023 Tesa 1000 TT-ONE Trailers Specifications

GVWR 50,000lbs  
 Height Exterior 13'6"  
 Total Length 53'  
 Height Interior 110"  
 Width Exterior 102"  
 Width Interior 98"-100"

## TIRES & WHEELS

Tire Manufacturer Salimax  
 Tire Size 297/75R22.5  
 Wheel Material All Steel Wheels  
 Wheel Size 8.25 R22.5

## UPPERCOUPLER

Approach Plate Hardox 1/4 Steel  
 King Pin Plate Hardox 1/4 Steel  
 King Pin & Manufacturer Standard, Wallace Forge King Pin

## BODY/BASE

Forward Crossmember Steel Hat Shaped upper Coupler to Landing Gear 12" Centers  
 Sliker Body Rail 216" Rail Length

## FLOOR

Specification Laminated Pine Wood

## FRONT

Front Panel & Color 7.5mm Thick Composite Panel Dura Plate Natural Colored Rivets  
 Front Corner Material 3/16" Aluminum  
 Front Receptical 7-way without Circuit Breakers

## SIDE

Side Material 7.5mm Thick Composite Panel Dura Plate Natural Colored Rivets  
 Side Posts 18 Guage Prepainted Carbon Steel  
 Side Posts Centers 48" Center to Center

## REAR

Door Type 2 Swing Doors Composite Polymetal

## ROOF

Roof Panel 19 Gauge Aluminum  
 Roof Bow 16 Gauge Galvanized Steel  
 Roof Bow Centers 17" Center to Center

## LANDING GEAR

L/Gear Spec Ampro, 80,000lbs 2 Speed Set

## RUNNING GEAR

Bogie Type Slide Tandem (2) Axle  
 Axle Spacing 49" Center to Center Axle Spacing  
 Axle ABS System Tandem Axle Haldex Abs System  
 Susp. Manufacturer Semiremolques El Paisano PT30,000lbs

## ELECTRICAL

Harness-General Spec In-house built Wiring Harness

## PAINT/FINISH

Finish All Steel, Crossmembers Including Hat Bogie Area

## MISCELLANEOUS

Mudflap Provider Provided by TESA Dealer

**TRAILER MODEL 1000 TT-One Suspension Specs**

<b>DESCRIPTION</b>	<b>CAPACITY</b>	<b>QUANTITY</b>
AMPRO AXLE	30000 LBS	2
LD-PR-1969	-----	-----
TRACK	1969MM	2
TOTAL CAPACITY	60000 LBS	-----

<b>DESCRIPTION</b>	<b>MODEL</b>	<b>PART NUMBER</b>
AIRBAG	GOOD YEAR	1R14-172
-----	-----	-----
ROLLER SKATES	AMPRO	FW2817C00
CAPACITY	28000 LB	-----
STATIC CAPACITY	8000 LB	-----

**SUSPENSION TYPE HENDRICKSON VANTRAAX HKAMT 40K**